

Code:

```
• SELECT
•     title, bibNumber, COUNT(bibNumber) AS counts, itemtype
• FROM
•     spl_2016.outraw
• WHERE
•     (itemtype like '%bk')
•         AND (title LIKE '%Chinese%'
•         OR title LIKE '%China%')
•         AND (Year(cout) >= 2006 and Year(cout) <= 2010)
• GROUP BY bibNumber , itemtype , title
• ORDER BY counts DESC
•
• SELECT
•     title,
•     bibNumber,
•     COUNT(bibNumber) AS counts,
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 1) THEN 1
•         ELSE 0
•     END) AS '2006-1',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 2) THEN 1
•         ELSE 0
•     END) AS '2006-2',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 3) THEN 1
•         ELSE 0
•     END) AS '2006-3',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 4) THEN 1
•         ELSE 0
•     END) AS '2006-4',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 5) THEN 1
•         ELSE 0
•     END) AS '2006-5',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 6) THEN 1
•         ELSE 0
•     END) AS '2006-6',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 7) THEN 1
•         ELSE 0
•     END) AS '2006-7',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 8) THEN 1
•         ELSE 0
•     END) AS '2006-8',
```

```

SUM(CASE
    WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 9) THEN 1
    ELSE 0
END) AS '2006-9',
SUM(CASE
    WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2006-10',
SUM(CASE
    WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2006-11',
SUM(CASE
    WHEN (YEAR(cout) = 2006 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2006-12',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 1) THEN 1
    ELSE 0
END) AS '2007-1',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 2) THEN 1
    ELSE 0
END) AS '2007-2',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 3) THEN 1
    ELSE 0
END) AS '2007-3',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 4) THEN 1
    ELSE 0
END) AS '2007-4',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 5) THEN 1
    ELSE 0
END) AS '2007-5',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2007-6',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2007-7',
SUM(CASE
    WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2007-8',
SUM(CASE

```

```

•      WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 9) THEN 1
•      ELSE 0
•  END) AS '2007-9',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 10) THEN 1
•      ELSE 0
•  END) AS '2007-10',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 11) THEN 1
•      ELSE 0
•  END) AS '2007-11',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2007 AND MONTH(cout) = 12) THEN 1
•      ELSE 0
•  END) AS '2007-12',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 1) THEN 1
•      ELSE 0
•  END) AS '2008-1',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 2) THEN 1
•      ELSE 0
•  END) AS '2008-2',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 3) THEN 1
•      ELSE 0
•  END) AS '2008-3',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 4) THEN 1
•      ELSE 0
•  END) AS '2008-4',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 5) THEN 1
•      ELSE 0
•  END) AS '2008-5',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 6) THEN 1
•      ELSE 0
•  END) AS '2008-6',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 7) THEN 1
•      ELSE 0
•  END) AS '2008-7',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 8) THEN 1
•      ELSE 0
•  END) AS '2008-8',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 9) THEN 1

```

```

    ELSE 0
END) AS '2008-9',
SUM(CASE
    WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2008-10',
SUM(CASE
    WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2008-11',
SUM(CASE
    WHEN (YEAR(cout) = 2008 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2008-12',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 1) THEN 1
    ELSE 0
END) AS '2009-1',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 2) THEN 1
    ELSE 0
END) AS '2009-2',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 3) THEN 1
    ELSE 0
END) AS '2009-3',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 4) THEN 1
    ELSE 0
END) AS '2009-4',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 5) THEN 1
    ELSE 0
END) AS '2009-5',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2009-6',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2009-7',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2009-8',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 9) THEN 1
    ELSE 0

```

```

END) AS '2009-9',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2009-10',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2009-11',
SUM(CASE
    WHEN (YEAR(cout) = 2009 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2009-12',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 1) THEN 1
    ELSE 0
END) AS '2010-1',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 2) THEN 1
    ELSE 0
END) AS '2010-2',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 3) THEN 1
    ELSE 0
END) AS '2010-3',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 4) THEN 1
    ELSE 0
END) AS '2010-4',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 5) THEN 1
    ELSE 0
END) AS '2010-5',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2010-6',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2010-7',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2010-8',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 9) THEN 1
    ELSE 0
END) AS '2010-9',

```

```

SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2010-10',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2010-11',
SUM(CASE
    WHEN (YEAR(cout) = 2010 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2010-12'
FROM
    spl_2016.outraw
WHERE
    (bibNumber = '2381540')
    OR (bibNumber = '2404748')
    OR (bibNumber = '2471718')
    OR (bibNumber = '2347391')
    OR (bibNumber = '2280147')
    OR (bibNumber = '2174575')
    OR (bibNumber = '1100731')
    OR (bibNumber = '2067046')
    OR (bibNumber = '2484700')
    OR (bibNumber = '2530375')
GROUP BY bibNumber , itemtype , title
ORDER BY counts DESC

SELECT
    title, bibNumber, COUNT(bibNumber) AS counts, itemtype
FROM
    spl_2016.outraw
WHERE
    (itemtype like '%bk')
    AND (title LIKE '%Chinese%'
    OR title LIKE '%China%')
    AND (Year(cout) >= 2011 and Year(cout) <= 2015)
GROUP BY bibNumber , itemtype , title
ORDER BY counts DESC

SELECT
    title, bibNumber, COUNT(bibNumber) AS counts, itemtype
FROM
    spl_2016.outraw
WHERE
    (itemtype like '%bk')
    AND (title LIKE '%Chinese%'
    OR title LIKE '%China%')
    AND (Year(cout) >= 2011 and Year(cout) <= 2015)

```

```

• GROUP BY bibNumber , itemtype , title
• ORDER BY counts DESC
•
• SELECT
•     title,
•     bibNumber,
•     COUNT(bibNumber) AS counts,
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 1) THEN 1
•         ELSE 0
•     END) AS '2011-1',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 2) THEN 1
•         ELSE 0
•     END) AS '2011-2',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 3) THEN 1
•         ELSE 0
•     END) AS '2011-3',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 4) THEN 1
•         ELSE 0
•     END) AS '2011-4',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 5) THEN 1
•         ELSE 0
•     END) AS '2011-5',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 6) THEN 1
•         ELSE 0
•     END) AS '2011-6',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 7) THEN 1
•         ELSE 0
•     END) AS '2011-7',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 8) THEN 1
•         ELSE 0
•     END) AS '2011-8',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 9) THEN 1
•         ELSE 0
•     END) AS '2011-9',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 10) THEN 1
•         ELSE 0
•     END) AS '2011-10',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 11) THEN 1

```

```

•         ELSE 0
•     END) AS '2011-11',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2011 AND MONTH(cout) = 12) THEN 1
•         ELSE 0
•     END) AS '2011-12',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 1) THEN 1
•         ELSE 0
•     END) AS '2012-1',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 2) THEN 1
•         ELSE 0
•     END) AS '2012-2',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 3) THEN 1
•         ELSE 0
•     END) AS '2012-3',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 4) THEN 1
•         ELSE 0
•     END) AS '2012-4',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 5) THEN 1
•         ELSE 0
•     END) AS '2012-5',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 6) THEN 1
•         ELSE 0
•     END) AS '2012-6',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 7) THEN 1
•         ELSE 0
•     END) AS '2012-7',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 8) THEN 1
•         ELSE 0
•     END) AS '2012-8',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 9) THEN 1
•         ELSE 0
•     END) AS '2012-9',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 10) THEN 1
•         ELSE 0
•     END) AS '2012-10',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 11) THEN 1
•         ELSE 0

```



```

END) AS '2012-11',
SUM(CASE
    WHEN (YEAR(cout) = 2012 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2012-12',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 1) THEN 1
    ELSE 0
END) AS '2013-1',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 2) THEN 1
    ELSE 0
END) AS '2013-2',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 3) THEN 1
    ELSE 0
END) AS '2013-3',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 4) THEN 1
    ELSE 0
END) AS '2013-4',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 5) THEN 1
    ELSE 0
END) AS '2013-5',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2013-6',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2013-7',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2013-8',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 9) THEN 1
    ELSE 0
END) AS '2013-9',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2013-10',
SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2013-11',

```

```

SUM(CASE
    WHEN (YEAR(cout) = 2013 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2013-12',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 1) THEN 1
    ELSE 0
END) AS '2014-1',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 2) THEN 1
    ELSE 0
END) AS '2014-2',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 3) THEN 1
    ELSE 0
END) AS '2014-3',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 4) THEN 1
    ELSE 0
END) AS '2014-4',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 5) THEN 1
    ELSE 0
END) AS '2014-5',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2014-6',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2014-7',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2014-8',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 9) THEN 1
    ELSE 0
END) AS '2014-9',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2014-10',
SUM(CASE
    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2014-11',
SUM(CASE

```

```

    WHEN (YEAR(cout) = 2014 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2014-12',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 1) THEN 1
    ELSE 0
END) AS '2015-1',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 2) THEN 1
    ELSE 0
END) AS '2015-2',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 3) THEN 1
    ELSE 0
END) AS '2015-3',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 4) THEN 1
    ELSE 0
END) AS '2015-4',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 5) THEN 1
    ELSE 0
END) AS '2015-5',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2015-6',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2015-7',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2015-8',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 9) THEN 1
    ELSE 0
END) AS '2015-9',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2015-10',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2015-11',
SUM(CASE
    WHEN (YEAR(cout) = 2015 AND MONTH(cout) = 12) THEN 1

```

```

•         ELSE 0
•     END) AS '2015-12'
• FROM
•     spl_2016.outraw
• WHERE
•     (bibNumber = '2381540')
•         OR (bibNumber = '2280147')
•         OR (bibNumber = '1100731')
•         OR (bibNumber = '2973764')
•         OR (bibNumber = '2692933')
•         OR (bibNumber = '2466548')
•         OR (bibNumber = '2873927')
•         OR (bibNumber = '2067046')
•         OR (bibNumber = '2617690')
•         OR (bibNumber = '2404748')
• GROUP BY bibNumber , itemtype , title
• ORDER BY counts DESC
• SELECT
•     title, bibNumber, COUNT(bibNumber) AS counts, itemtype
• FROM
•     spl_2016.outraw
• WHERE
•     (itemtype like '%bk')
•         AND (title LIKE '%Chinese%'
•             OR title LIKE '%China%')
•         AND (Year(cout) >= 2016 and Year(cout) <= 2020)
• GROUP BY bibNumber , itemtype , title
• ORDER BY counts DESC
• SELECT
•     title,
•     bibNumber,
•     COUNT(bibNumber) AS counts,
•
•     SUM(CASE
•         WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 1) THEN 1
•         ELSE 0
•     END) AS '2016-1',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 2) THEN 1
•         ELSE 0
•     END) AS '2016-2',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 3) THEN 1
•         ELSE 0
•     END) AS '2016-3',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 4) THEN 1
•         ELSE 0
•     END) AS '2016-4',

```

```

SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 5) THEN 1
    ELSE 0
END) AS '2016-5',
SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2016-6',
SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2016-7',
SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2016-8',
SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 9) THEN 1
    ELSE 0
END) AS '2016-9',
SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2016-10',
SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2016-11',
SUM(CASE
    WHEN (YEAR(cout) = 2016 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2016-12',
SUM(CASE
    WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 1) THEN 1
    ELSE 0
END) AS '2017-1',
SUM(CASE
    WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 2) THEN 1
    ELSE 0
END) AS '2017-2',
SUM(CASE
    WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 3) THEN 1
    ELSE 0
END) AS '2017-3',
SUM(CASE
    WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 4) THEN 1
    ELSE 0
END) AS '2017-4',
SUM(CASE

```

```

•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 5) THEN 1
•      ELSE 0
•  END) AS '2017-5',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 6) THEN 1
•      ELSE 0
•  END) AS '2017-6',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 7) THEN 1
•      ELSE 0
•  END) AS '2017-7',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 8) THEN 1
•      ELSE 0
•  END) AS '2017-8',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 9) THEN 1
•      ELSE 0
•  END) AS '2017-9',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 10) THEN 1
•      ELSE 0
•  END) AS '2017-10',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 11) THEN 1
•      ELSE 0
•  END) AS '2017-11',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2017 AND MONTH(cout) = 12) THEN 1
•      ELSE 0
•  END) AS '2017-12',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 1) THEN 1
•      ELSE 0
•  END) AS '2019-1',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 2) THEN 1
•      ELSE 0
•  END) AS '2019-2',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 3) THEN 1
•      ELSE 0
•  END) AS '2019-3',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 4) THEN 1
•      ELSE 0
•  END) AS '2019-4',
•  SUM(CASE
•      WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 5) THEN 1

```

```

•         ELSE 0
•     END) AS '2019-5',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 6) THEN 1
•         ELSE 0
•     END) AS '2019-6',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 7) THEN 1
•         ELSE 0
•     END) AS '2019-7',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 8) THEN 1
•         ELSE 0
•     END) AS '2019-8',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 9) THEN 1
•         ELSE 0
•     END) AS '2019-9',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 10) THEN 1
•         ELSE 0
•     END) AS '2019-10',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 11) THEN 1
•         ELSE 0
•     END) AS '2019-11',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 12) THEN 1
•         ELSE 0
•     END) AS '2019-12',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 1) THEN 1
•         ELSE 0
•     END) AS '2019-1',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 2) THEN 1
•         ELSE 0
•     END) AS '2019-2',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 3) THEN 1
•         ELSE 0
•     END) AS '2019-3',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 4) THEN 1
•         ELSE 0
•     END) AS '2019-4',
•     SUM(CASE
•         WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 5) THEN 1
•         ELSE 0

```

```

• END) AS '2019-5',
• SUM(CASE
•     WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 6) THEN 1
•     ELSE 0
• END) AS '2019-6',
• SUM(CASE
•     WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 7) THEN 1
•     ELSE 0
• END) AS '2019-7',
• SUM(CASE
•     WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 8) THEN 1
•     ELSE 0
• END) AS '2019-8',
• SUM(CASE
•     WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 9) THEN 1
•     ELSE 0
• END) AS '2019-9',
• SUM(CASE
•     WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 10) THEN 1
•     ELSE 0
• END) AS '2019-10',
• SUM(CASE
•     WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 11) THEN 1
•     ELSE 0
• END) AS '2019-11',
• SUM(CASE
•     WHEN (YEAR(cout) = 2019 AND MONTH(cout) = 12) THEN 1
•     ELSE 0
• END) AS '2019-12',
• SUM(CASE
•     WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 1) THEN 1
•     ELSE 0
• END) AS '2020-1',
• SUM(CASE
•     WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 2) THEN 1
•     ELSE 0
• END) AS '2020-2',
• SUM(CASE
•     WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 3) THEN 1
•     ELSE 0
• END) AS '2020-3',
• SUM(CASE
•     WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 4) THEN 1
•     ELSE 0
• END) AS '2020-4',
• SUM(CASE
•     WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 5) THEN 1
•     ELSE 0
• END) AS '2020-5',

```



```

SUM(CASE
    WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 6) THEN 1
    ELSE 0
END) AS '2020-6',
SUM(CASE
    WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 7) THEN 1
    ELSE 0
END) AS '2020-7',
SUM(CASE
    WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 8) THEN 1
    ELSE 0
END) AS '2020-8',
SUM(CASE
    WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 9) THEN 1
    ELSE 0
END) AS '2020-9',
SUM(CASE
    WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 10) THEN 1
    ELSE 0
END) AS '2020-10',
SUM(CASE
    WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 11) THEN 1
    ELSE 0
END) AS '2020-11',
SUM(CASE
    WHEN (YEAR(cout) = 2020 AND MONTH(cout) = 12) THEN 1
    ELSE 0
END) AS '2020-12'
FROM
    spl_2016.outraw
WHERE
    (bibNumber = '3389157
    ')
    OR (bibNumber = '2381540')
    OR (bibNumber = '3281793')
    OR (bibNumber = '3069823')
    OR (bibNumber = '1100731')
    OR (bibNumber = '3166302')
    OR (bibNumber = '2873927')
    OR (bibNumber = '3056028')
    OR (bibNumber = '3344454')
    OR (bibNumber = '2973764')
GROUP BY bibNumber , itemtype , title
ORDER BY counts DESC

```